

# RADIAL RUN-OUT TEST DVD-VIDEO

## For Checking DVD Players, DVD Recorders and DVD Drives TDV-520C Eccentricity Series

### 1. Purpose of use, Features


These are Radial Run-Out Test Discs designed for confirmation of tracking servo ability and evaluation, measurement and adjustment of DVD Players, Recorders and Drives.

### 2. Specifications

- TDV-520C is used as a material disc. Please refer to TDV-520C Product Introduction for basic parameters.

Model name	Eccentricity $\mu\text{m}$ ※	Data attached	Description
TDV-510C	$\leq 10$	○	
TDV-511C	$50 \pm 5$	○	For testing the maximum value specified in the DVD Specifications.
TDV-512C	$100 \pm 5$	○	
TDV-513C	$150 \pm 5$	○	
TDV-511CA	$50 \pm 10$	-	For testing the maximum value specified in the DVD Specifications.
TDV-512CA	$100 \pm 10$	-	
TDV-513CA	$150 \pm 10$	-	

note) We define Eccentricity here is the distance from the center of the center hole to the center of the track circle that the most inner pit of the disc plots. Therefore, the Eccentricity of this table is indicated as 0-p. (It is specified the radial run-out of the tracks shall be  $100 \mu\text{m}$  p-p max. in the DVD Specifications.)



Imaged figure of Eccentricity

Values in this sheet are measured by the equipments ALMEDIO-owned. Appearance and specifications are subject to change without notice.

<Proper handling of the disc>  
Do not write on the surface with a pen and others, nor put a sticker on it.  
Do not expose the disc to direct sunlight, nor leave it in the place of high temperature and high humidity.  
After playing, store the disc in its own case.

ALMEDIO INC.  
Sales Headquarters  
<http://www.almedio.co.jp>  
E-Mail : [tm-sales@almedio.co.jp](mailto:tm-sales@almedio.co.jp)